

[illegible]

An early action on the merits is now respectfully requested.

Ronald Kopp

4

APPENDIX

4. (Amended). The releasing laminated film according to [claim 2 or 3] claim 1 or 2, wherein said tensile modulus of elasticity in a traverse direction is a range of from 2,940 to 5,880 N/mm².
5. (Amended). The releasing laminated film according to [any one of claims 2 to 4] claim 1 or 2, wherein the fluoro resin is tetrafluoroethylene-ethylene copolymer resin and the film comprising the fluoro resin has a thickness of 1 to 50 μm .
6. (Amended). The releasing laminated film according to [any one of claims 2 to 5] claim 1 or 2, wherein the supporting film has a melting point of 100°C or higher.
7. (Amended). The releasing laminated film according to [any one of claims 2 to 6] claim 1 or 2, wherein the supporting film is a polyester film having a thickness of 5 to 1,000 μm .
10. (Amended). The carrier film according to claim 8 [or 9], wherein the drawn polyester film is a polyethylene terephthalate film having a thickness to 5 to 1,000 μm .
11. (Amended). The carrier film according to [any one of claims 8 to 10] claim 8, wherein the film comprising a fluoro resin is a tetrafluoroethylene-ethylene copolymer film having a thickness of 2 to 10 μm .

12. (Amended). The film according to [any one of claims 2 to 11] claim 1 or 2, wherein the film comprising a fluororesin is dry laminated on the supporting film.

13. (Amended). The film according to [any one of claims 2 to 12] claim 1 or 2, wherein a polyethylene film, polypropylene film, or polyester film is further laminated on the film comprising a fluororesin.

14. (Amended). The film according to [any one of claims 2 to 13] claim 1 or 2, wherein the film has a total thickness of 10 to 300 μm .

15. (Amended) The film according to [any one of claims 2 to 14] claim 1 or 2, wherein the film has a total thickness of 60 to 300 μm .